

To: Albizu, Ramon[Albizu.Ramon@epa.gov]
From: Rogow, Michelle
Sent: Wed 9/28/2016 12:18:41 AM
Subject: Fwd: CONTRACT EP-S5-13-02 (START 4): TDD'S THAT EXPIRE AT THE END OF THE MONTH

Michelle Rogow
On Scene Coordinator
USEPA Region 9

Begin forwarded message:

From: "Rogow, Michelle" <Rogow.Michelle@epa.gov>
Date: September 27, 2016 at 5:14:44 PM PDT
To: "Rogow, Michelle" <Rogow.Michelle@epa.gov>
Subject: RE: CONTRACT EP-S5-13-02 (START 4): TDD'S THAT EXPIRE AT THE END OF THE MONTH

And can you please extend the Soudelor HHW one, too.

The Refugio report is complete, and that can be closed out.

From: Rogow, Michelle
Sent: Tuesday, September 27, 2016 5:13 PM
To: Albizu, Ramon <Albizu.Ramon@epa.gov>
Subject: RE: CONTRACT EP-S5-13-02 (START 4): TDD'S THAT EXPIRE AT THE END OF THE MONTH

Ramon,

Can you please extend one more month, until 10/31/16 for Alageta Drum. The final report is still in process.

Thanks,

Michelle

From: Albizu, Ramon
Sent: Tuesday, September 27, 2016 9:58 AM
To: Rogow, Michelle <Rogow.Michelle@epa.gov>; Waldon, MARGARET <Waldon.Margaret@epa.gov>; Zuroski, Donn <Zuroski.Donn@epa.gov>; Powell, Martin <Powell.Martin@epa.gov>
Cc: Ingram, Philip <ingram.philip@epa.gov>
Subject: FW: CONTRACT EP-S5-13-02 (START 4): TDD'S THAT EXPIRE AT THE END OF THE MONTH

All,

See below, please let me know if your respective TDD(s) (highlighted below) requires a time extension or if we can move forward with their respective close out.

Thanks,

Ramon D. Albizu, START 4 PO (Contract-Level COR) / RTFL

Emergency Response Preparedness and Prevention Branch
Superfund Division | U.S. Environmental Protection Agency, Region IX (SFD-9-4)
75 Hawthorne Street | San Francisco, CA 94105
albizu.ramon@epa.gov | (415) 972-3091

Mobile (415) 515-9569

From: Ingram, Philip
Sent: Monday, September 26, 2016 1:58 PM
To: Albizu, Ramon <Albizu.Ramon@epa.gov>
Subject: CONTRACT EP-S5-13-02: TDD'S THAT EXPIRE AT THE END OF THE

MONTH

Below is a list of TDD's for the subject contract that will expire on 09/30/16 or on 10/01/16. This list was previously sent to you on 08/30/16 and on 09/19/17. The TDD's that have been responded to our shown highlighted "Red" font.

If no request to extend is received on the remaining TDD's they will be allowed to expire as scheduled. Once a TDD's has expired it cannot be brought back, and if further work is required a new TDD will have to be issued.

Thank you

Expires on 09/30/16:

- 1302-T2-R9-14-07-0004 – Red Valley Structures (D. Zuroski) **(Extended to 03/18/17)**
- 1302-T2-R9-15-11-0001 - Alageta Street Drum Site (M. Rogow)
- 1302-T2-R9-16-01-0002 - PG&E Mercury ER (R. Wise) **(No Extension)**
- 1302-T2-R9-16-03-0002 - Certified Towing Abandoned Drums (C. Benson) **(No Extension)**
- 1302-T2-R9-16-03-0003 - Mira Loma B17 Radium Dial Assessment (J. Musante) **(No Extension)**
- 1302-T2-R9-16-03-0004 - 3M Wildland Fire Site (C. Benson) **(No Extension)**
- 1302-T2-R9-16-03-0005 - Anderson Springs Road Site (M. Waldon)
- 1302-T2-R9-16-04-0001 - Lower Base Medical Waste (C. Reiner) **(Extended to 12/30/16)**
- 1302-T2-R9-16-04-0002 - Santa Ana Hollister ER (M. Waldon)

- 1302-T2-R9-16-04-0003 - Dunsmuir Mercury ER (R. Wise) **(No Extension)**
- 1302-T2-R9-16-05-0001 - South Gate Fireworks ER (R. Wise) **(No Extension)**
- 1302-T2-R9-16-06-0001 - Fruitland Magnesium Fire Incident (J. Musante)**(Extended to 12/30/16)**
- 1302-T2-R9-16-07-0001 - El Centro Removal Assessment (M. Powell)
- 1302-T3-R9-15-01-0001 - ASIG Sand Island Fuel Oil Spill (D. Zuroski)
- 1302-T3-R9-15-05-0002 - Plains All-American Pipeline (M. Rogow)
- 1302-T2-R9-16-03-0001 - Apache Road Drum Site (C. Benson) **(No Extension)**
- 1302-T3-R9-16-07-0001 - Crimson Pipeline (C. Weden) **(Extend to 11/30/16)**
- 1302-T4-R9-14-10-0001 - MARRP Update (R. Wise) **(No Extension)**
- 1302-T6-R9-14-10-0001 - Pan Tak Site (L. Hanusiak) **(No Extension)**
- 1302-T6-R9-14-10-0002 - Green Street Phase I/II (L. Hanusiak) **(No Extension)**
- 1302-T6-R9-14-12-0001 - City of Gardena TBA (L. Hanusiak) **(Closed)**
- 1302-T6-R9-15-03-0001 - 826 4th Street, Eureka (L. Hanusiak) **(Closed)**
- 1302-T6-R9-15-06-0001 - Sacramento - 1224 D Street TBA (L. Hanusiak)**(Extended to 12/30/16)**
- 1302-T6-R9-15-09-0001 - Oakland - 3525 Fruitvale Ave Phase I TBA (L. Hanusiak) **(Closed)**
- 1302-T6-R9-15-11-0004 - Fresno - S. Elm Ave 2316 (L. Hanusiak)**(Extended to 01/31/17)**
- 1302-T16-R9-15-03-0001 - Del Amo Vapor Intrusion Investigation (J. Musante) **(No Extension)**
- 1302-T16-R9-15-03-0002 - Montrose Vapor Intrusion Investigation (J. Musante) **(No Extension)**
- 1302-T21-R9-16-03-0001 - Typhoon Soudelor Transformer Response TA (M. Rogow)**(Extended to 01/31/17)**
- 1302-T21-R9-16-06-0001 - Typhoon Soudelor HHW Response TA (M. Rogow)

Expires on 10/01/16:

- 1302-T6-R9-15-11-0003 - 1554 W. 11th Place, Los Angeles Phase II TBA (L. Hanusiak)(**Extended to 03/18/17**)

(415) 972-3715 - Telephone

ingram.philip@epa.gov - Email

Code MTS-4-3